

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A portable washing device, comprising:

a bottom wall constructed from an impermeable material;

a plurality of inflatable side walls constructed from an impermeable material connected to and extending upwardly from said bottom wall defining an interior cavity, wherein said plurality of inflatable side walls include a lower inflatable tubular member constructed from an impermeable material connected to and extending around said bottom wall, and an upper inflatable tubular member having first and second ends, said upper tubular member being stacked upon and connected to said lower tubular member, said upper tubular member extending around a majority of said lower tubular member, wherein said tubular members defines, in cooperation with said bottom wall, a basin; and

an opening disposed in one of said plurality of side walls for accessing said interior cavity from a position exterior of said side walls, said ends of said upper tubular member defining said opening;

wherein said connection formed by or between said upper and lower inflatable tubular members extends along a majority of said upper tubular member and includes a center line, said connection including at least one segment disposed transverse to said center line that prevents separation of said upper tubular member from said lower tubular member when a force is applied from said opening to said first or second upper tubular member end along said center line.

~~a resealable air valve disposed in pneumatic communication with said plurality of inflatable side walls, said resealable air valve connectable to a source of air to inflate said side walls, and operable to deflate said side walls;~~

~~a drain outlet in fluid communication with said interior cavity of said basin; and~~

~~a resealable valve operable to allow fluid to drain through said drain outlet, and further operable to prohibit fluid from draining through said drain outlet.~~

2-7. Canceled.

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{PLLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

8. (Currently Amended) The device of Claim [[7]] 1, wherein said segment of the connection between said lower tubular member and said upper tubular member at either said ends of said upper tubular member ~~are reinforced by~~ is formed as a teardrop shaped heat seal.

9. (Original) The device of Claim 1, wherein said tubular members are approximately the same dimension.

10. (Original) The device of Claim 1, wherein said tubular members are circular in cross-section.

11. (Original) The device of Claim 1, further including a head support structure secured to the bottom wall.

12. (Original) The device of Claim 11, wherein said head support structure is inflatable.

13. Canceled.

14. (Currently Amended) The ~~basin~~ device of Claim [[13]] 28, further including a drain outlet in fluid communication with said interior cavity ~~of said basin~~; and
a resealable valve operable to allow fluid to drain through said drain outlet, and further operable to prohibit fluid from draining through said drain outlet.

15-23. Canceled.

24. (New) The device of Claim 1, further comprising a resealable air valve disposed in pneumatic communication with said plurality of inflatable side walls, said resealable air valve connectable to a source of air to inflate said side walls, and operable to deflate said side walls.

25. (New) The device of Claim 1, further comprising a drain outlet in fluid communication with said interior cavity of said basin.

26. (New) The device of Claim 25, further comprising a resealable valve operable to allow fluid to drain through said drain outlet, and further operable to prohibit fluid from draining through said drain outlet.

27. (New) The device of Claim 1, wherein said connection is an adhesive layer or a heat seal.

28. (New) A portable washing device, comprising:
a bottom wall constructed from an impermeable material, the bottom wall having an outer perimeter;

a lower inflatable tubular member constructed from an impermeable material connected to and extending around said perimeter of said bottom wall;

an upper inflatable tubular member having first and second ends, said upper inflatable tubular member being stacked upon said lower tubular membrane and extending around a majority of said lower tubular member such that an opening is created between the first and second ends, said opening permitting access from a position exterior of said side walls to an interior cavity formed by said tubular members and said bottom wall; and

a connection formed by or between the upper and lower inflatable tubular members, said connection extending along a majority of said upper tubular member and having a center line, wherein said connection includes structure that prevents separation of said upper tubular member from said lower tubular member when a force is applied from said opening against said first or second upper inflatable layer end along said connection center line that would otherwise separate said upper inflatable layer from said lower inflatable layer absent said structure.

29. (New) The device of Claim 28, wherein said structure includes a segment of increased contact area disposed transverse to said center line.

30. (New) The device of Claim 28, further comprising a head support structure located in the interior cavity.

31. (New) A portable washing device, comprising:
- a bottom wall constructed from an impermeable material, the bottom wall having an outer perimeter;
 - a lower inflatable layer constructed from an impermeable material and connected to and extending around said perimeter of said bottom wall;
 - an upper inflatable layer having first and second ends, said upper inflatable layer being stacked upon said lower tubular member and extending around a majority of said lower inflatable layer such that an opening is formed between the first and second ends, said opening permitting access from a position exterior of said side walls to an interior cavity formed by said inflatable layers and said bottom wall;
 - a connection formed by or between said upper and lower inflatable layers that connects said upper layer to said lower layer, said connection extending along a majority of said upper inflatable layer and having a center line, and
 - means for preventing the separation of said upper inflatable layer from said lower inflatable layer when a force is applied from said opening against said first or second upper inflatable layer end along said connection center line that would otherwise separate said upper inflatable layer from said lower inflatable layer absent said means for preventing the separation of said upper inflatable layer from said lower inflatable layer.
32. (New) The device of Claim 31, wherein said connection is an adhesive layer.
33. (New) The device of Claim 31, wherein said connection is formed by a heat seal.
34. (New) The device of Claim 31, wherein said means includes a portion of increased connection area disposed at said first and second ends.
35. (New) The device of Claim 34, wherein said portion has a bulbous shape.